



14x20 Barn Garage Material List

Floor- Hemlock

11-2x6x14' Floor Joists
15-2x6x12' Skids & Rim Joists & Blocking
10-2x6x8' Skids & Rim Joists

Walls-Hemlock

10-4x4x14' Posts & Beams
3-4x4x12' Angle Braces
1-4x4x10' Beams & Angle Braces
2-2x4x16' Nailers
5-2x4x14' Nailers & Door Studs
1-1x4x8' Door framing

Roof-Hemlock

22-2x6x8' Rafters
2-1x8x10' Ridge Pole
9-1x6x10' Collar ties
10-1x4x12'
10-1x4x8'

Trim-Pine

4-1x8x12' Fascia
4-1x8x8' Fascia
1-1x6x10' Interior Door Trim
1-1x6x8' Interior Door Trim
3-1x4x12' Shadow
3-1x4x10' Door trim
15-1x4x8' Corner, Door, Shadow Trim
2-1x10x14' Rip to 5" for casing
1-1x4x14' Rip to 2" for door stops

Siding-Pine

20-1x12x10'
38-1x12x8'
1-1x10x8'
1-1x8x8'

Battens--Pine- rip to 3/4"

3-2x8x10'
9-2x8x8'

Temp Bracing/ Extra Lumber

5-1x4x14' Hemlock
1-1x4x14' Pine
1-2x4x14' Hemlock
1-1x12x14'-Pine

Millwork

1-JCS Door C- 32x80-1/2"
1-96x84" LOW CLEARANCE Overhead Door
1- Louvered Vent
1-16" Vent Batten

Hardware

10bs-16D Framing Nails-3-1/2"
15lbs-8D HDG Hand Nails-Galv-2-1/2"
5lbs-6D Galv Nails for trim-2"
500-Roofing Screws-1-1/2"
1-1/4" Hex Bit
1-#2 Square Drive Bit
96" Aluminum Diamond Plate Threshold
3- 8" Black T Hinges
30-Door Hinge screws- black 1-3/4"

Corrugated Roofing

14-Pieces of Roofing @91"
2-Piece of Ridge Cap @ 126"
1-Pieces Ridge Cap @24

Additional Lumber

9 -3/4" 4x8 CDX Plywood
1-2x6x14' Pressure treated (Ramp)
6-5/4x6x8' Pressure Treated(Ramp)

Suggested Tools

Skill Saw or Hand saw Saw-z-all or chain saw
Hammer
Nail puller (cats paw or crow bar)
25' tape measure Chalk line Extension Cord Tin
Snips
Staple gun
Pencil
Speed Square Four-foot level Cordless Drill
1/4" drive bit for drill
#2 Phillips



14x24 Barn Garage Material List

Floor- Hemlock

8-2x6x16' Skids
15-2x6x14' Floor & Rim Joists
12-2x6x10' Rim Joists & Blocking
2-2x6x8' Skids & Rim Joists

Walls-Hemlock

7-4x4x14' Posts & Beams
4-4x4x12' Angle Braces
2-4x4x12' Beams & Angle Braces
4-2x4x16' Nailers
2-2x4x14' Nailers & Door Studs
1-2x4x12' Door Framing

Roof-Hemlock

26-2x6x8' Rafters
2-1x8x12' Ridge Pole
11-1x6x10' Collar ties
10-1x4x14' Strapping
10-1x4x10' Strapping

Trim-Pine

2-1x8x10' Fascia
8-1x8x8' Fascia
1-1x6x10' Interior Door Trim
1-1x6x8' Interior Door Trim
2-1x4x16' Shadow
2-1x4x14' Shadow
2-1x4x12' Shadow
3-1x4x10' Door trim
11-1x4x8' Corner, Door, Shadow Trim
2-1x10x14' Rip to 5" for casing
1-1x4x14' Rip to 2" for door stops

Siding-Pine

21-1x12x10'
44-1x12x8'
4-1x8x8'

Battens--Pine- rip to 3/4"

3-2x8x10'
10-2x8x8'

Temp Bracing/ Extra Lumber

4-1x4x14' Hemlock
2-1x4x12' Hemlock
1-1x4x14' Pine
1-2x4x14' Hemlock
1-1x12x14'-Pine

Millwork

1-JCS Door C- 32x80-1/2"
1-96x84" LOW CLEARANCE Overhead Door
1- Louvered Vent
1-16" Vent Batten

Hardware

10bs-16D Framing Nails-3-1/2"
13lbs-8D HDG Hand Nails-Galv-2-1/2"
5lbs-6D Galv Nails for trim-2"
600-Roofing Screws-1-1/2"
1-1/4" Hex Bit
1-#2 Square Drive Bit
96" Aluminum Diamond Plate Threshold
3- 8" Black T Hinges
30-Door Hinge screws- black 1-3/4"

Corrugated Roofing

18-Pieces of Roofing @91"
2-Piece of Ridge Cap @ 126"
1-Pieces Ridge Cap @82

Additional Lumber

-3/4" 4x8 CDX Plywood
1-2x6x14' Pressure treated (Ramp)
6-5/4x6x8' Pressure Treated(Ramp)

Suggested Tools

Skill Saw or Hand saw Saw-z-all or chain saw
Hammer
Nail puller (cats paw or crow bar)
25' tape measure Chalk line Extension Cord
Tin Snips, Staple gun
Pencil
Speed Square Four-foot level Cordless Drill
1/4" drive bit for drill
#2 Phillips
#3 Square Drive Razor Knife Chisel



14x30 Barn Garage Material List

Sills- Treated Lumber

4-6x6x16' Bearing Sills
1-6x6x14' Gable Sills
1-6x6x8' Overhead Door Sills

Walls-Hemlock

11-4x4x16' Posts & Beams
2-4x4x14' Beam & angle Braces
3-4x4x12' Angle Braces
5-2x4x16' Nailers
1-2x4x14' Nailers
3-2x4x10' Nailers

Roof-Hemlock

16-2x6x16' Rafters
3-1x8x10' Ridge Pole
9-1x6x8' Collar ties
10-1x4x16'
10-1x4x14'

Trim-Pine

2-1x8x16' Fascia
4-1x8x14' Fascia
1-1x8x12' Fascia
9-1x4x16' Corner/ Door/ Shadow Trim
1-1x10x14' Rip to 5" for casing
1-1x10x10' Rip to 5" for casing
1-1x4x10' Rip to 2" for door stops

Siding-Pine

1-1x12x14'
3-1x12x12'
74-1x12x10'
Battens--Pine- rip to 3/4"
4-2x8x10'
12-2x8x8'

Temp Bracing/ Extra Lumber

7-1x4x12' Hemlock
1-1x4x14' Pine
2-2x4x12' Hemlock
1-1x12x16'-Pine

Millwork

1-JCS Door C- 32x80-1/2"
1-96x84" Overhead Door
1- Louvered Vent
1-16" Vent Batten

Hardware

12bs-16D Framing Nails-3-1/2"
3bs-16D GalvanizedNails-3-1/2"
18lbs-8D HDG Hand Nails-2-1/2"
8lbs-6D HDG Hand Nails-2"
700-Roofing Screws-1-1/2"
1-1/4" Hex Bit
1-#2 Square Drive Bit

3- 8" Black T Hinges
30-Door Hinge screws- black 1-3/4"

Corrugated Roofing

22-Pieces of Roofing @91"
3-Piece of Ridge Cap @ 126"
1-Pieces Ridge Cap @32"

Suggested Tools

Skill Saw or Hand saw Saw-z-all or chain saw
Hammer
Nail puller (cats paw or crow bar)
25' tape measure Chalk line Extension Cord Tin
Snips
Staple gun
Pencil
Speed Square Four-foot level Cordless Drill
1/4" drive bit for drill
#2 Phillips