



8x12 Tool Shed Material List

Floor- Hemlock

2-4x6x12' Skids
3-2x6x12' Rim Joists & Blocking
7-2x6x8' Joists

Walls-Hemlock

1-4x4x16' Gable Beams
3-4x4x14' Posts
2-4x4x12' Beams
2-4x4x10' Angle braces
1-2x4x16' Nailers2
-2x4x14' Door Posts/ Window Framing
1-2x4x12' Window Framing
2-2x4x10' Nailers

Roof- Hemlock

4-2x6x12' Hip/Valley Rafters
5-2x6x10' Rafters
1-1x12x10' Roof Sheathing
3-1x12x8' Roof Sheathing
1-1x8x8' Ridge
1-1x4x14' Roof Strapping
1-1x4x12' Roof Strapping
1-1x4x10' Roof Strapping
6-1x4x8' Roof Strapping

Temp Bracing/ Extra Lumber

1-2x4x12' Hemlock Extra
2-1x12x12' Pine- Extra
2-1x4x12' Hemlock - Temp Braces
2-1x4x10' Hemlock- Temp Braces

Siding-Pine

1-1x12x12'
3-1x12x10'
28-1x12x8'
3-1x8x8'

Battens--Pine- rip to 3/4"

7-2x8x8'

Trim-Pine

5-2x8x10' Fascia
4-2x4x10' Shadow
1-2x4x8' Shadow
1-1x4x14' Dorr Trim
1-1x4x12' Window Trim
9-1x4x8' Corner& Door Trim

1-1x10x12' rip to 1x5-Door Casing
1-1x6x10' rip to 1x3-Window Stops
1-1x4x12' rip to 1x2-Door Stops



8x12 Tool Shed Mill Work and Hardware

Mill-work

JCS 5-0 Double Doors-A
2@ 30-1/8"x71-3/8"
2-Barn Sash Windows-2x2
24"x24" Hinged windows -Open up and out
1- Louvered Vent
1-16" Vent Batten

Additional Lumber

3-3/4"x4x8 CDX Plywood

Corrugated Roofing

4-Pieces of Roofing @59"
8-Pieces of roofing @ 53-1/2"

1-Pieces of Ridge Cap @ 126"
2-Pieces Ridge Cap @57"
1-Pieces Ridge Cap @48"

Hardware

8bs-16D Framing Nails
4lbs-16D HDG Galv Nails for trim
8lbs-8D HDG Hand Nails-Galv
4lbs-6D HDG Hand Nails-Galv
275-Roofing Screws

1-1/4" Hex Bit
1-#2 Square Drive Bit

4-8" Door Hinges- Black
40-Door Hinge Screws -Black
4- Window Hinges-Black
16-Window Hinge Screws
2-Window Hooks & Eyes
1- Turn Latch-Black
1- Foot bolt
1-Chain Bolt

Suggested Tools

Skill Saw or Hand saw Saw-z-all or chain saw
Hammer
Nail puller (cats paw or crow bar)
25' tape measure Chalk line Extension Cord Tin
Snips
Staple gun
Pencil
Speed Square Four-foot level Cordless Drill
1/4" drive bit for drill
#2 Phillips
#3 Square Drive Razor Knife Chisel



10x14 Tool Shed Material List

Floor- Hemlock

2-4x6x14' Skids
4-2x6x14" Rim Joists & Blocking
8-2x6x10' Joist

Walls-Hemlock

6-4x4x14' Posts & Beams
4-4x4x10' Angle Braces & Gable Beams
1-2x4x16' Nailers
1-2x4x14' Nailers
4-2x4x10' Window Framing
1-1x4x6' Door Header

Roof- Hemlock

11-2x6x16' Rafters
2-2x6x12' Rafters
1-1x12x14' Sheathing
3-1x12x10' Sheathing
2-1x8x10' Sheathing & Ridge Poles
1-1x4x16' Strapping
1-1x4x14' Strapping
3-1x4x12' Strapping
2-1x4x10' Strapping

Temp Bracing/ Extra Lumber

1-2x6x14' Hemlock Extra
2-1x12x14' Pine- Extra
2-1x4x14' Hemlock - Temp Braces
2-1x4x12' Hemlock- Temp Braces

Siding-Pine

2-1x12x12'
4-1x12x10'
37-1x12x8'
2-1x8x12'
2-1x8x8'
2-1x6x8'

Battens--Pine- rip to 3/4"

7-2x8x8'

Trim-Pine

4-2x8x14'
1-2x8x10'
2-2x4x14'
1-2x4x10'
1-2x4x8'
1-1x4x12' Window Trim
1-1x4x10' Window Trim
12-1x4x8' Corner & Door Trim

1-1x10x12' rip to 1x5-Door Casing
1-1x6x10' rip to 1x3-Window Stops
1-1x4x12' rip to 1x2-Door Stops



10x14 Tool Shed Mill Work and Hardware

Mill-work

JCS 5-0 Double Doors-A
2@ 30-1/8"x71-3/8"
2-Barn Sash Windows-2x2
24"x24" Hinged windows -Open up and out
1- Louvered Vent
1-16" Vent Batten

Additional Lumber

5-3/4"x4x8 CDX Plywood

Corrugated Roofing

14-Pieces of Roofing @75"
4-Pieces of Ridge Cap @ 126"
2-Pieces Ridge Cap @68"
1-Pieces Ridge Cap @54"
2-Pieces of Aluminum Flashing
@ 120"

Hardware

8bs-16D Framing Nails
4lbs-16D HDG Galv Nails for trim
10lbs-8D HDG Hand Nails-Galv
2lbs-6D HDG Hand Nails-Galv
500-Roofing Screws
1-1/4" Hex Bit
1-#2 Square Drive Bit
4-8" Door Hinges- Black
40-Door Hinge Screws -Black
4- Window Hinges-Black
16-Window Hinge Screws
2-Window Hooks & Eyes
1- Turn Latch-Black
1- Foot bolt
1-Chain Bolt

Suggested Tools

Skill Saw or Hand saw Saw-z-all or chain saw
Hammer
Nail puller (cats paw or crow bar)
25' tape measure Chalk line Extension Cord Tin
Snips
Staple gun
Pencil
Speed Square Four-foot level Cordless Drill
1/4" drive bit for drill
#2 Phillips
#3 Square Drive Razor Knife Chisel