



4x8 Weekender Material List

Floor- Hemlock

2-4x6x8' Skids
3-2x6x16' Joists
4-1x6x8' Decking Floor Boards

Walls-Hemlock

2-4x4x16' Beams
1-4x4x14' Posts
2-4x4x12' Posts & Angle Braces
2-2x4x12' Nailers & Blocking
3-2x4x10' Nailers & Blocking

Roof-Hemlock

3-2x6x12' Rear Rafters
1-2x6x8'-Front Rafters
1-2x4x8' Rafter Supports
1-1x10x10' Bird Blocking
1-1x8x8' Ledger Board
6-1x4x8' Roof Strapping

Temp Bracing/ Extra Lumber

4-1x4x8' Bracing
1-1x12x12' Extra Lumber-Pine

Trim-Pine

4-1x8x10' Fascia
2-1x4x14' Door Trim
1-1x4x12' Door Trim
6-1x4x10' Shadow & Corner Trim
1-1x10x14' Rip to 5"-Door Casing
1-1x8x8' -Rip to 7"-Kick-plates
1=-1x4x10' Rip 2" Door Stops

Siding-Pine

2-1x12x14'
4-1x12x10'
4-1x12x8'
5-1x10x8'
1-1x8x16'
1-1x4x8'

4-2x8x8' - Rip to 3/4" for Battens



4x8 Weekender Hardware

Millwork

JCS Door-O-36x63-1/2"

Additional Lumber

1- 4x4 CDX Plywood

Hardware

5bs-16D Framing Nails
5lbs-8D HDG Hand Nails-Galv
3lbs-6D HDG Hand Nails-Galv
125-Roofing Screws
20-Door Hinge Screws-Black
1-1/4" Hex Bit
1-#2 Square Drive Bit

2-8" Black Door Hinges
1-Turn Latch Black

Suggested Tools

Skill Saw or Hand saw Saw-z-all
Hammer
Nail puller (cats paw or crow bar)
25' tape measure
Chalk line
Extension Cord
Tin Snips
Staple gun
Pencil
Speed Square
Four-foot level Cordless Drill
1/4" drive bit for drill
#2 Phillips
#2 Square Drive
Razor
Knife
Chisel
Ladder

Corrugated Roofing

3-Pieces of Roofing @38" W x75" L
3-Pieces of Roofing@ 38" W x20"L

2-Pieces Ridge Cap @63"



4x10 Weekender Material List

Floor- Pressure treated

2-4x6x10' Sills
2-2x6x10'
3-2x6x8'
8-1x6x6'

Walls-Hemlock

1-4x4x12'
4-4x4x10'
4-4x4x8'
4-2x4x10'
2-2x4x12'

Roof-Hemlock

3-2x6x12' Rafters
6-1x4x10' Strapping
3-1x6x10'
1-1x8x10' Pine
1-1x10x4'
1-2x4x6'

Temp Bracing/ Extra Lumber

3-1x4x10'
1-1x12x10'
2-3/4x2x8' Battens

Siding-Pine

1-1x12x12'
5-1x12x10'
11-1x12x8'
1-1x10x12'
2-1x10x8'
1-1x10x6'
1-1x8x8'
2-1x6x8'
2-2x8x8' Ripped for Battens

Trim-Pine

1-1x8x12'
3-1x8x10'
3-1x8x8'
1-1x4x12'
2-1x4x10'
4-1x4x8'
1-1x10x8' -ripped to 5"

Hardware and Millwork

1-JCS Barn Door-2'x36'x63.5"
2-8" Door Hinge Black
20- Door Hinge Screws
1-Turn Latch Black

4 - Metal Roof @74" Long
4-Metal Roof @ 19" Long
1- Metal Roof @47" Long -Ripped to 32" W
1- Metal Roof @116" Long -Ripped to 32" W
1-Piece Ridge Cap @96"
1-Piece @ 51'

5lbs- 16d Framing Nails
5lbs-6d HDG Nails
125- Roofing screws

1-#2 Sq drive bit

Suggested Tools

Skill Saw or Hand saw
Saw-z-all or chain saw
Hammer
Nail puller (cats paw or crow bar)
25' tape measure
Chalk line
Extension Cord
Tin Snips
Staple gun
Pencil
Speed Square
Four-foot level
Cordless Drill
1/4" drive bit for drill
#2 Phillips
#3 Square Drive
Razor Knife
Chisel



Jamaica Cottage Shop, Inc.
170 Winhall Station Road, South Londonderry, VT 05155
Voice 802 297 3760 Fax 802 297 2825
plans@JamaicaCottageShop.com

4x12 Weekender - Materials

Materials List:

(2) 4x6x12 skids
(10) 2x6x12 rim joists, rafters, floor joists
(8) 4x4x12 posts, braces, beams
(6) 2x4x12 nailers, door framing, bracing
2 sheets of min. 3/4" CDX plywood
(8) 8 1x6 hemlock boards for flooring in wood bin side
300 board feet of 1" rough sawn pine random width boards
(siding, trim, roof strapping and door)
60 board feet of 3/4x2 for battens

Nails 8lbs 3 1/4" spikes (16's) 10 lbs 2 3/8"
galvanized (8's)

Corrugated Metal Roofing choice of color

Five sheets @ 19"

Five sheets @ 74"

171" of matching ridge cap

150 1 1/2" wood grip screws with rubber gasket,

matching color to roof

One 1/4" Hex drive bit for roofing screws

Optional one square feet of roofing material, wood shingles,
metal, asphalt, slate

Optional if roofing material other than metal is used the roof
should be sheathed solid, add seven pine 1x12'x12'

An allowance for mistakes and waste has been included

Suggested Tools

Hammer
Pencil
Tape measure
Razor Knife
Chalk Line
Speed Square
Extension Cord
Circular Saw
4 foot level
Cordless drill
Philips bit 1/4" drive for roofing
screws
Tin Snips

Please contact us with any mistakes or discrepancies in these plans. We strive to provide our clients with a quality product and encourage feedback.



Contact us today to purchase a Hardware Package to match this set of plans.



6x12 Weekender Material List

Floor- Hemlock

2-4x6x12' Skids
6-2x6x12' Joists and Blocking
12-1x6x8' Floor Boards

Walls-Hemlock

8-4x4x12' Beams/ Posts
5-2x4x12' Nailers
2-2x4x10' Nailers

Roof-Hemlock

7-2x6x10' Rafters
1-1x12x8' Bird Blocking
1-1x8x12' Ridge Pole
1-1x8x8' Bird Blocking
1-1x6x16' Collar Ties
8-1x4x12' Roof Strapping

Temp Bracing/ Extra Lumber

1-1x4x14' Bracing(Hemlock)
2-1x4x10' Bracing(Hemlock)
1-2x4x10' Extra(Hemlock)
1-1x12x12' Extra(Pine)

Trim-Pine

1-2x8x14' Fascia
1-2x8x12' Fascia
1-1x8x14' Fascia

1-2x4x14' Shadow
2-2x4x12' Shadow
1-1x4x16' Corner Trim
3-1x4x14' Shadow & Corner Trim
5-1x4x12' Door Trim

1-1x10x10' Rip to 5"
1-1x8x6' Rip to 7"
1-1x4x12' Rip to 2"

Siding-Pine

1-1x12x14'
6-1x12x12'
11-1x12x10'
6-1x12x8'
1-1x10x8'
2-1x8x10'
2-1x8x8'

1-2x8x10' - Rip to 3/4" for Battens
2-2x8x8' - Rip to 3/4" for Battens



6x12 Weekender Millwork & Hardware

Millwork

JCS 5-0 Double Doors 2 @ 30-1/8"x 71-3/8"
1- Pressure Treated Ramp

Additional Lumber

2- 4x8 CDX Plywood

Hardware

5bs-16D Framing Nails
2lbs-16D Galv Nails for trim
8lbs-8D HDG Hand Nails
250-Roofing Screws
40-Door Hinge Screws-Black
1-1/4" Hex Bit
1-#2 Square Drive Bit

4-8" Black Door Hinges
1-Turn Latch Black
1 Chain Bolt
1- Foot Bolt

Suggested Tools

Skill Saw or Hand saw Saw-z-all
Hammer
Nail puller (cats paw or crow bar)
25' tape measure
Chalk line
Extension Cord
Tin Snips
Staple gun
Pencil
Speed Square
Four-foot level Cordless Drill
1/4" drive bit for drill
#2 Phillips
#2 Square Drive
Razor
Knife
Chisel
Ladder

Corrugated Roofing

5-Pieces of Roofing @38" W x86" L
5-Pieces of Roofing@ 38" W x42"L

1-Pieces Ridge Cap @126"
1-Pieces Ridge Cap @42"



6x14 Weekender

6x14 Weekender Material List

Use this list as a shopping list.
 Rough sawn Lumber

Hemlock	Two 4x6x14	Skids
Hemlock	Three 2x6x14	Rim Joists
Hemlock	Thirteen 2x6x12	Floor Joists and Rafters
3/4" CDX	Two 4x8 sheets	Flooring
Hemlock	Ten 1x6x12	Flooring, Collar ties, Temporary Bracing
Hemlock	Three 4x4x14	Top Plates and front posts
Hemlock	Four 4x4x12	Gable Plates, Posts and Angle Braces
Hemlock	Four 2x4x14	Wall Framing
Pine	Sixteen 1x12x12	Siding
Pine	Nine 1x12x8	Siding, Bird Blocks
Pine	Four 1x12x10	Siding
Pine	Six 1x12x12	Doors
Pine	Four 2x8x12	Battens, Gable fascia
Hemlock	Seven 1x4x14	Strapping
Hemlock	One 1x8x14	Ridge Pole
Pine	One 1x8x14	Rear Fascia
Pine	One 2x8x16	Front Fascia
Pine	One 2x4x16	Front Shadow
Pine	Two 2x4x12	Gable Shadow
Pine	Ten 1x4x14	Rear Shadow and Trim
Pine	Two 1x5x12	Jamb Trim
Hemlock	Three 1x4x8	Temporary Bracing
Pressure treated	Three 1x6x10	Ramp Decking & stringers

Hardware and Millwork

Pine	One small 12"x12" Wood louvered vent
16D Nails	5lbs of 3" common framing nails
6d Nails	5lbs of 2 1/2" Galvanized siding trim nails
16d Galv Nails	2lbs of 3 1/2" Galvanized nails
Screws	5lbs of 1 5/8" Galvanized Deck Screws
Four Black Heavy Duty 8" "T" Hinges	
One National Hardware Foot Bolt 151-027	
One National Hardware Chain Pull 151-771	
One Twist Shed door Latch	
40 2" screws for hinges	
Corrugated Metal Roof	
Five @ 85"	
Five @ 42"	
16 ln ft. of ridge cap	
250 Roofing Screws	

If using Asphalt Roofing

Enough Sheathing for 160 sq feet Five Sheets of 5/8" CDX Plywood or Eleven 1x12x14 Boards any species
 160 Sq Ft of Roofing Shingles (6 bundles)

Please contact us with any mistakes or discrepancies in these plans. We strive to provide our clients with a quality product and encourage feedback.

Suggested Tools

Skill Saw or Hand saw	Pencil
Saw-z-all or chain saw	Speed Square
Hammer	Four-foot level
Nail puller (cats paw or crow bar)	Cordless Drill
25' tape measure	1/4" drive bit for drill
Chalk line	#2 Phillips
Extension Cord	#3 Square Drive
Tin Snips	Razor Knife
Staple gun	Chisel

Contact us today to purchase a Hardware Package to match this set of plans.



Hardware Package



6x16 Weekender Material List

Floor- Hemlock

2-6x6x16' Skids
2-2x6x16' Rim Joists
8-2x6x12' Joists and Blocking
12-1x6x8' Floor Boards

Walls-Hemlock

2-4x4x16' Beams
1-4x4x14' Posts
4-4x4x12' Beams/ Posts
1-4x4x10' Angle Braces
4-2x4x12' Nailers
1-2x4x10' Nailers
4-2x4x8' Nailers

Roof-Hemlock

5-2x6x14' Rafters
3-2x6x10' Rafters
2-1x8x16' Ridge Pole /Bird Blocking
1-1x6x10' Collar Ties
1-1x6x8' Collar Ties
8-1x4x16' Roof Strapping

Temp Bracing/ Extra Lumber

5-1x4x10' Bracing(Hemlock)
1-2x4x16' Extra(Hemlock)
1-1x4x10' Extra (Pine)
1-1x12x10' Extra(Pine)

Trim-Pine

2-2x8x12' Fascia
1-2x8x10' fascia
1-1x8x10' Fascia
1-1x8x8' Fascia
1-2x4x12' Shadow
1-2x4x10' Shadow
1-2x4x8' Shadow
1-1x4x10' Shadow
1-1x4x8' Shadow
4-1x4x14' Corner Door Trim
3-1x4x12' Corner Door Trim
1-1x4x10' Corner Door Trim
1-1xxx8' Corner Door Trim

Siding-Pine

8-1x12x12'
11-1x12x10'
7-1x12x8'
3-1x10x8'
3-1x8x8'
1-1x4x8'

1-2x8x12- Rip to 3/4" for Battens
1-2x8x10'- Rip to 3/4" for Battens
1-2x8x8'- Rip to 3/4" for Battens



6x16 Weekender Millwork & Hardware

Millwork

JCS 5-0 Double Doors 2 @ 30-1/8"x 71-3/8"
1- Pressure Treated Ramp

Additional Lumber

2- 4x8 CDX Plywood

Hardware

5bs-16D Framing Nails
2lbs-16D Galv Nails for trim
4lbs-8D HDG Hand Nails-Galv
2lbs-6D HDG Hand Nails-Galv
400-Roofing Screws
40-Door Hinge Screws-Black
1-1/4" Hex Bit
1-#2 Square Drive Bit

4-8" Black Door Hinges
1-Turn Latch Black
1 Chain Bolt
1- Foot Bolt

Suggested Tools

Skill Saw or Hand saw Saw-z-all
Hammer
Nail puller (cats paw or crow bar)
25' tape measure
Chalk line
Extension Cord
Tin Snips
Staple gun
Pencil
Speed Square
Four-foot level Cordless Drill
1/4" drive bit for drill
#2 Phillips
#2 Square Drive
Razor
Knife
Chisel
Ladder

Corrugated Roofing

6-Pieces of Roofing @38" W x86" L
6-Pieces of Roofing@ 38" W x42"L

1-Pieces Ridge Cap @126"
1-Pieces Ridge Cap @91"



Jamaica Cottage Shop, Inc.
Post Office Box 106 Jamaica, Vermont 05343
Voice 802 297 3760 Fax 802 297 2825
plans@JamaicaCottageShop.com

8x14 Weekender - Shopping List

Floor Frame

Hemlock
2- 4x6x14' Skids
4- 2x6x14' Rim Joists
8- 2x6x8' Joists

Plywood Flooring

4- 4'x8' sheets of 3/4" CDX

Posts & Beams

Hemlock
Angle Braces
2- 4x4x14'
2- 4x4x10'
9- 4x4x8'

Wall Framing

Hemlock
8- 2x4x8'

Siding

4 - 1x6x8' Pine Boards
4 - 1x8x8' Pine Boards
22 - 1x12x8' Pine Boards
12 - 1x12x10' Pine Boards
3 - 2x8x8' Pine (battens)
1 - 2x8x10' Pine (battens)

Doors

Pine Rough
9- 1x12x12' Pine

Ramp decking

Treated Lumber
4- 5/4x6x10'
2- 2x6x10' Stringers

Bird Blocking

1- 1x12"x14' Pine

Roof

Hemlock Rafters
12- 2x6x8'

Ridgepole

Hemlock
1- 1x8x14'

Collar Ties

Hemlock
2- 1x6x10'

Roof Strapping

Pine or Hemlock
8- 1x4x14'

Metal Roof

5 @ 97"
5 @ 42"
16 Lineal Ft. of ridge cap
300 Green Wood Grip Screws

Windows, Trim

All Trim Pine
Windows Trim, Shadow, Corner, Door

16- 1x4x8'
5- 2x4x8'

Fascia

2- 1x8x8' (rear)
5- 2x8x8' (gable)

Top doorstop

1- 1x2x12'
1-1x2x8'

Window stops

2-1x3x8'

Door Casing & Closure Board

2 - 1x5x12'

Hardware

4-8" black T hinges
40-2" black hinge screws
1-Black turn latch
1-foot bolt #151-027
1-Chain bolt #150-771
1-#1 square drive bit
1-#2 square drive bit
8 lbs 16d nails for framing
8 lbs 6d galvanized nails
2 lbs 16d galvanized nails
2-6" window hooks
4-eyehooks
16-3/4" pan head screws for
4- Black 3" window hinges
4 lb of 1 5/8" zinc drywall
screws for doors and window
stops

Millwork:

12x12 Wood louvered vent
2-2x2 6 light barn sash
windows

Suggested Tools:

Hammer
Pencil
Tape measure
Razor Knife
Chalk Line
Speed Square
Extension Cord
Circular Saw
4 foot level
Cordless drill
Philips bit
1/4" drive for roofing screws
Tin Snips
Chisel

*Contact us today to
purchase a Hardware
Package to match this
set of plans.*

Please contact us with any mistakes or discrepancies in these plans. We strive to provide our clients with a quality product and encourage feedback.



Jamaica Cottage Shop, Inc.

170 Winhall Station Rd. South Londonderry, VT 05155

(866) 297-3760 plans@JamaicaCottageShop.com

8x16 Weekender - Shopping List

Floor Frame

Hemlock
2- 4x6x16' Skids
2- 2x6x16' Rim Joists
13- 2x6x8' Joists

Flooring

2- 4'x8' sheets of 3/4" CDX
16-1x6x10' Hemlock Boards

Posts & Beams

Hemlock
2- 4x4x16'
2- 4x4x12'
9- 4x4x8'

Wall Framing

Hemlock
8- 2x4x8'

Siding

22 - 1x12x8' Pine Boards
12 - 1x12x10' Pine Boards
3 - 2x8x8' Pine (battens)
1 - 2x8x10' Pine (battens)

Doors

Pine Rough
9- 1x12x12' Pine

Ramp decking

Treated Lumber
4- 5/4x6x10'
2- 2x6x10' Stringers

Bird Blocking

1- 1x12"x8' Pine

Roof

Hemlock Rafters
14- 2x6x8'

Ridgepole

Hemlock
2- 1x8x8'

Collar Ties

Hemlock
2- 1x6x10'

Roof Strapping

Pine or Hemlock
8- 1x4x14'

Metal Roof

6 @ 97"
6 @ 42"
18 Lineal Ft. of ridge cap
300 Wood Grip Screws

Windows, Trim

All Trim Pine
Shadow, Corner, Door Trim

16- 1x4x8'
5- 2x4x8'

Fascia

2- 1x8x8' (rear)
5- 2x8x8' (gable)

Top doorstep

1- 1x2x12'
1-1x2x8'

Door Casing & Closure Board

2 - 1x5x12'

Hardware

6-8" black T hinges
40-2" black hinge screws
1-Black turn latch
1-foot bolt #151-027
1-Chain bolt #150-771
1-#1 square drive bit
1-#2 square drive bit
8 lbs 16d nails for framing
8 lbs 6d galvanized nails
2 lbs 16d galvanized nails
4 lb of 1 5/8" zinc drywall screws for door stops

Millwork:

12x12 Wood louvered vent

Suggested Tools:

Hammer
Pencil
Tape measure
Razor Knife
Chalk Line
Speed Square
Extension Cord
Circular Saw
4 foot level
Cordless drill
Philips bit
1/4" drive for roofing screws
Tin Snips
Chisel

**Contact us today to
purchase a Hardware
Package to match this
set of plans.**

Please contact us with any mistakes or discrepancies in these plans. We strive to provide our clients with a quality product and encourage feedback.



8x20 Weekender Material List

Floor- Pressure -Hemlock

2- 6x6x20' Skids
20- 2x6x8'
2- 2x6x8'
20-1x6x10' Floor Boards

Walls-Hemlock

2-4x4x14'
8-4x4x12'
2-4x4x8'
2-2x4x14'
1-2x4x12'
3-2x4x10'
7-2x4x8'

Roof-Hemlock

3-2x6x12' Rafters
11-2x6x8'
14-1x4x10' Strapping
2-1x8x10'
2-1x6x12'
1-1x12x10'

Siding-Pine

10-1x12x14'
17-1x12x10'
10-1x12x8'
6-1x10x8'
2-1x8x8'

2-2x8x8' Ripped for Battens
1-2x8x10' ripped for Battens

Temp Bracing/ Extra Lumber

1-1x4x14'
3-1x4x12'
2-1x4x8'
1-1x12x10'
1-2x4x8'
1-2x6x14'
1-1x12x10'

Trim-Pine

4-2x8x12'
2-1x8x12'
1-2x4x14'
2-2x4x12'
1-2x4x10'
7-1x4x14'
1-1x4x12'
3-1x4x10'
4-1x4x8'
1-1x10x10'-Ripped to 5"
1-1x2x12'
1-1x2x8'
1-1x8x8'

Hardware and Millwork

1-JCS Double Door-2'x30.13"x71.38"
4-8" Door Hinge Black
41- Door Hinge Screws
1-Turn Latch Black
1- chain Bolt
1-Foot bolt

14" Louvered Vent
1-16" Vent Batten

7 - Metal Roof @97" Long
7-Metal Roof @ 42" Long

2-Piece Ridge Cap @123"
1-Piece Ridge Cap @ 36'

12lbs- 16d Framing Nails
8lbs-8d HDG Nails
350- Roofing screws
10- Closure Board screws

1-#2 Sq drive bit
1-1/4" Hex bit



10x16 Weekender Material List

Floor- Hemlock

2-6x6x16' Skids
3-2x6x16' Rim Joists & Blocking
9-2x6x10' Joists
20-1x6x8' Flooring

Walls-Hemlock

2-4x4x16' Beam
1-4x4x14' Posts
3-4x4x12' Posts/Angle Braces
3-4x4x10' Gable Beam & Posts
1-2x4x16' Nailers
2-2x4x14' Window Framing
1-2x4x12' Headers
4-2x4x10' Nailers
1-2x4x8' Nailers/Door Blocking

Roof

3-2x6x12'
9-2x6x10'
1-1x12x16' Bird Blocking
1-1x8x16'
9-1x4x16'

Temp Bracing/ Extra Lumber

1-2x4x16' Hemlock Extra
1-1x12x16' Pine- Extra
4-1x4x12' Hemlock Temp Braces

Interior-Pine

1-1x12x16'
1-1x12x14'
3-1x12x10'
1-1x8x16'
2-1x6x10'

Siding-Pine

1-1x12x14'
101x12x12'
12-1x12x10'
7-1x12x8'

Battens--Pine- rip to 3/4"

2-2x8x10'
1-2x8x12'

Trim-Pine

5-2x8x10' Fascia

3-2x4x10' Shadow
1-2x4x8'

2-1x8x10' Rear Fascia

1-1x4x14' Door Trim
2-1x4x12' Corner Trim
2-1x4x10' Rear Shadow/Corner Trim
6-1x4x8' Rear Shadow/Door Trim

1-1x10x12' Rip to 5" for casing
1-1x10x10' Rip to 5" for casing

1-1x4x12' Rip to 2" for Door Stops



10x16 Weekender Mill Work and Hardware

Millwork

JCS 5-0 Double doors(A)- 2 @ 30-1/8"x71-3/8"

1- Louvered Vent
1-16" Vent Batten

JCS 5' Ramp
3-2x6x38" Pressure Treated Stringers
6-1x6x58" Pressure Treated decking

Additional Lumber

3-4x8-3/4" CDX Plywood

Corrugated Roofing

6-Pieces of Roofing @116"

6-Pieces of Roofing @47"

1-Pieces of Ridge Cap @ 126"

1-Pieces of Ridge Cap @ 92"

Hardware

8bs-16D Framing Nails
4lbs-16D Galv Nails for trim
10lbs-8D HDG Hand Nails-Galv
4lbs-6D Nails
10-Closure Board Screws-1-5/8"
350-Roofing Screws

1-1/4" Hex Bit
1-#2 Square Drive Bit

4- Door Hinges -Black
40- Sq Drive Door hinge screws-1-3/4"
1- Foot Bolt
1- Chain Bolt
1-Black Turn Latch

Suggested Tools

Skill Saw or Hand saw Saw-z-all or chain saw
Hammer
Nail puller (cats paw or crow bar)
25' tape measure Chalk line Extension Cord Tin
Snips
Staple gun
Pencil
Speed Square Four-foot level Cordless Drill
1/4" drive bit for drill
#2 Phillips
#3 Square Drive Razor Knife Chisel



Jamaica Cottage Shop, Inc.

170 Winhall Station Rd. South Londonderry, VT 05155

Voice 802 297 3760 Fax 802 297 2825

plans@JamaicaCottageShop.com

10x20 Weekender - Shopping List

Floor Frame

Hemlock
2- 6x6x20' Skids
4- 2x6x20' Rim Joists & blocking
11- 2x6x10' Joists

Flooring

4- 4'x8' sheets of 3/4" CDX
20-1x6x12' Hemlock

Posts & Beams

Hemlock
Angle Braces
6- 4x4x14'
4- 4x4x10'
2- 4x4x8'

Wall Framing

Hemlock
2- 2x4x10'
9- 2x4x8'

Siding

8 - 1x10x8' Pine Boards
31 - 1x12x8' Pine Boards
13 - 1x12x10' Pine Boards
4 - 2x8x8' Pine (battens)
2 - 2x8x10' Pine (battens)

Doors

Pine Rough
9- 1x12x12' Pine

Ramp decking

Treated Lumber
4- 5/4x6x10'
2- 2x6x10' Stringers

Bird Blocking

2- 1x12"x10' Pine

Roof

Hemlock Rafters
11- 2x6x14'

Ridgepole

Hemlock
2- 1x8x10'

Collar Ties

Hemlock
3- 1x6x10'

Roof Strapping

Pine or Hemlock
18- 1x4x10'

Metal Roof

7 @ 116"
7 @ 47"
23 Lineal Ft. of ridge cap
400 Green Wood Grip Screws

Windows, Trim

All Trim Pine
Windows Trim, Shadow, Corner, Door

2- 1x4x12'
13- 1x4x8'
2- 2x4x12'
3- 2x4x10'
1- 1x2x12'
1-1x2x8'
1 - 1x5x12'
1 - 1x5x8'
2-1x3x8'

Fascia
2- 1x8x12' (rear)
3-2x8x10' (gable)
2- 2x8x12' (front)

Hardware

4-8" black T hinges
40-2" black hinge screws
1-Black turn latch
1-foot bolt #151-027
1-Chain bolt #150-771
1-#1 square drive bit
1-#2 square drive bit
10 lbs 16d nails for framing
10 lbs 6d galvanized nails
5 lbs 16d galvanized nails
2-6" window hooks
4-eyehooks
20-3/4" pan head screws for
4- Black 3" window hinges
4 lb of 1 5/8" zinc drywall
screws for doors and window
stops

Millwork:

12x12 Wood louvered vent
2-2x2 6 light barn sash
windows

Suggested Tools:

Hammer
Pencil
Tape measure
Razor Knife
Chalk Line
Speed Square
Extension Cord
Circular Saw
4 foot level
Cordless drill
Philips bit
1/4" drive for roofing screws
Tin Snips
Chisel

**Contact us today to
purchase a Hardware
Package to match this
set of plans.**

Please contact us with any
mistakes or discrepancies in
these plans. We strive to
provide our clients with a
quality product and
encourage feedback.



12x20 Weekender – Shopping List

Floor Frame

Hemlock
2- 6x6x20' Skids
2- 2x6x20' Rim Joists
15- 2x6x12' Joists, blocking

Posts & Beams

Hemlock
Angle Braces
1- 4x4x14'
4- 4x4x12'
13- 4x4x8'

Wall Framing

Hemlock
2- 2x4x10'
9- 2x4x8'

Siding

8 – 1x8x8' Pine Boards
4 – 1x10x8' Pine Boards
34 - 1x12x8' Pine Boards
16 – 1x12x10' Pine Boards
4 – 2x8x8' Pine (battens)
2 – 2x8x10' Pine (battens)

Doors

Pine Rough
9- 1x12x12' Pine

Ramp decking

Treated Lumber
4- 5/4x6x10'
2- 2x6x10' Stringers

Bird Blocking

2 - 1x2x10' Pine

Roof

Hemlock Rafters
14- 2x6x12'

Ridgepole

Hemlock
2 - 1x8x10'

Collar Ties

Hemlock
3- 1x6x10'

Roof Strapping

Pine or Hemlock
22- 1x4x10'

Trim

All Trim Pine
Shadow, Corner, Door

2- 1x4x12'
16- 1x4x8'
1- 2x4x8'
4- 2x4x12'

Fascia

1- 1x8x12' (rear)
1- 1x8x10' (rear)
3- 2x8x12' (gable)
1- 2x8x12'
1- 2x8x10'

Top doorstop

1- 1x2x12'
1- 1x2x8'

Door Casing

3- 1x5x12'
1- 1x5x10'



Jamaica Cottage Shop, Inc.
170 Winhall Station Rd, South Londonderry, VT 05155
(866) 297-3760 plans@JamaicaCottageShop.com

Millwork and Hardware

Millwork:

12x12 Wood louvered vent
16" Vent Batten

Plywood Flooring

8- 4'x8' sheets of 3/4" CDX

Metal Roof

7 @ 139"
7 @ 42"
2 pieces of ridge cap @126"
1 Piece of ridge cap @ 36"
350 Green Wood Grip Screws

Hardware

4-8" black T hinges
40-2" black hinge screws
1-Black turn latch
1-foot bolt #151-027
1-Chain bolt #150-771
1-1/4" Hex Bit
1-#2 square drive bit
8 lbs 16d nails for framing
10 lbs 8d Galv Nails
2 lbs 6d galvanized nails
2 lbs 16d galvanized nails
2 lb of 1 5/8" zinc drywall screws for doors and window stops

Suggested Tools:

Hammer
Pencil
Tape measure
Razor Knife
Chalk Line
Speed Square
Extension Cord
Circular Saw
4 foot level
Cordless drill
Philips bit
1/4" drive for roofing screws
Tin Snips
Chisel